

Work Order ID 145734

Friday, May 06, 2016 10:44:19 AM

145734

Page 1

Item ID: D3691-041 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Stud Assembly
Start Date: 5/2/2016 Start Qty: 4.00 ***4*** Cust Item ID:
Required Date: 5/5/2016 Req'd Qty: 4.00 ***4*** Customer:
Reference:

Approvals: Process Plan: sem Date: 16/05/09 Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
D3691	E

100	Pick Kit	0.00
-----	----------	------

100

Packaging

Memo

Packaging

0.00

4 **DAS**
6
9-89 JAN 12 2017

110	Small Fab	0.00
-----	-----------	------

110

Small Fab

Memo

Small Fab

1.52

1-Align the pilot holes in mating parts. Drill out each hole using pilot drill and ream each hole using a step reamer. Clean and deburr all holes prior to assembly as per dwg. (SEE NOTE 8)

AFTER FINISH DRILLIN AND REAMING PARTS MUST STAY TOGETHER. DO NOT MIXE THEM UP

2-Assemble D3693-1 with D3691-1 Using Hysol EA934NA or MAGNOBOND 6398 adhesive between mating surfaces as per Dwg D3684

4 **DAS**
19
9-89 17-1-25

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By _____ Lead hand / Supervisor Approval Verification _____ QC / QA Coordinator Approval _____		
Description Work Order Deviation				Disposition					

Root Cause			FAULT CATEGORY		
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____			
Misidentified ☐	Past Due ☐				

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition			
				Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐
OTHER : _____					

Picklist Print

Friday, May 06, 2016 10:44:18 AM

Page 1

Work Order ID: 145734

145734

Parent Item: D3691-041

D3691-041

Parent Item Name: Stud Assembly

Start Date: 5/2/2016

Required Date: 5/5/2016

Start Qty: 4.00

Required Qty: 4.00

Comments: IPP REV:A 13.01.24 PER ECN12-693 DD VERF:JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D3691-1 *D3691-1* Stud		Manufactured	No				Each	1.0000	**	4		DAS 6 9-89 JAN 12 2017	
				<u>Location</u>			<u>Loc Qty</u>	<u>Loc Code</u>					
				ST231a			1	B 146140		4			
					127751		1						
D3693-1 *D3693-1* Rod End Bearing		Manufactured	No				Each	25.0000	**	4		DAS 6 9-89 JAN 12 2017	
				<u>Location</u>			<u>Loc Qty</u>	<u>Loc Code</u>					
				GA			25						
					141289		5						
					141392		20			4			
HL32PB8-14 *HI 32PB8-14* Replacement Hi-Lok Pin		Purchased	No				Each	111.0000	**	8		DAS 6 9-89 JAN 12 2017	
				<u>Location</u>			<u>Loc Qty</u>	<u>Loc Code</u>					
				ST562			111						
					m128179		1						
					m128454		70			4			
					m134180		40			4			
HL86-8 *HI 86-8* Collar		Purchased	No				Each	106.0000	**	8		DAS 6 9-89 JAN 12 2017	
				<u>Location</u>			<u>Loc Qty</u>	<u>Loc Code</u>					
				ST562			106			8			
					m131803		86						
					m134180		20						

DQA: _____ Date: _____




WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐								
Misidentified ☐	Past Due ☐	OTHER :							

ITEM	QTY -041	P/N	DESCRIPTION
1	X	D3691-041	STUD ASSEMBLY
2	1	D3691-1	STUD
3	1	D3693-1	ROD END BEARING
4	2	HL32PB8-14	HI-LOK PIN
5	2	HL86-8	HI-LOK COLLAR



D3691-041 STUD ASSEMBLY


NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 1.04 lbs
- 8) ALIGN THE PILOT HOLES IN D3693-1 WITH PILOT HOLES IN D3691-1. ENLARGE EACH HOLE USING A P/N 13-420 PILOTED DRILL (0.2314 DIA./0.2158 PILOT). REAM EACH HOLE USING A P/N 44-300 STEP REAMER (0.247 DIA./0.2314 PILOT). CLEAN AND DEBURR ALL HOLES PRIOR TO ASSEMBLY.
- 9) ASSEMBLE D3693-1 WITH D3691-1 USING HYSOL EA934NA OR MAGNOBOND 8398 ADHESIVE BETWEEN MATING SURFACES.



E	ADD -041 STUD ASSEMBLY, ASSEMBLY INSTRUCTIONS (ZN A8-1, ZN B6-1, ZN D7-1), Ø0.216 WAS Ø0.189 (ZN D2-2, D4-3), Ø0.823 WAS Ø0.825 (ZN D7-2), RE-FORMAT NOTES SECTION AS PER QSI 043 (ZN A8-1), REF NCR 12-2074	DB	12.12.07
D	7.825 WAS 7.750 (ZN C4-1)	RF	10.03.03
C	0.20 WAS 0.16 & CENTER DRILL #4 WAS CENTER DRILL #2 (ZN B6-1). UPDATE NOTE 8 TO REF QSI (ZN A8-1)	RF	09.09.09
B	CHANGE TO 17-4PH H-800 (ZN A8-1); Ø0.885 WAS Ø0.865 (ZN D8-1); REFORMATTED TO CURRENT DWG STANDARDS	RF	06.11.24
A	NEW ISSUE	RF	08.03.12
REV.	DESCRIPTION	BY	DATE
DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	DB		
CHECKED	MB	DRAWING NO.	REV. E
MFG. APPR.	JLM	D3691	SHEET 1 OF 2
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	STUD	NTS
DATE	12.12.07	COPYRIGHT © 2008 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSES OR COPIED OR REPRODUCED IN ANY FORM WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

w/o 145734


RM 16/05/09



DETAIL B C5-2
SCALE 1:1



SECTION A-A B4-2



RELEASED
2013-07-22

NOTES:

- 1) MATERIAL: 17-4PH STAINLESS STEEL ROUND BAR PER AMS 5643 H-900 CONDITION
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 0.80 lb
- 8) LPI PER QSI 038 4.1.1 (ASTM E1417 LEVEL 2)

DESIGN	RF	DART AEROSPACE LTD	
DRAWN	DB	HAWKESBURY, ONTARIO, CANADA	
CHECKED	MB	DRAWING NO.	REV. E
MFG. APPR.	JLM	D3691	SHEET 2 OF 2
APPROVED		TITLE	SCALE
DE APPR.		STUD	NTS
DATE	12.12.07	COPYRIGHT © 2008 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL. AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT THE WRITTEN PERMISSION FROM DART AEROSPACE LTD.			